

## *Amphibia Mundi*. 1.3. Recent amphibians: suprageneric taxonomic additions (1967-2002)

Alain DUBOIS

Vertébrés. Réptiles et Amphibiens,  
USM 0602 Taxonomie and Collections,  
Département de Systématique and Evolution,  
Muséum national d'Histoire naturelle,  
25 rue Cuvier, 75005 Paris, France  
<adubois@mnhn.fr>

The current *International Code of Zoological Nomenclature* (ANONYMOUS, 1999) only regulates some of the nomina of zoological taxa, belonging to three "groups of names" or better "nominal-series" (DUBOIS, 2000) the species-series, the genus-series and the family-series. It is currently not concerned with the nomenclature of lower-ranked taxa, i.e. of the "variety-series" (DUBOIS, 2005c-d), or of higher-ranked taxa, i.e. of the "class-series" (DUBOIS, 2000, 2005c-d). As a result, the nomenclature of such taxa, supposedly regulated by "usage" and "consensus" among specialists, is in fact arbitrary and chaotic, which causes problems for communication among taxonomists and especially between the latter and all non-specialist users of zoological nomina. For this reason, DUBOIS (2005c-d) recently proposed a set of rules for the nomenclature of class-series taxa. For the time being, only brief summaries of these proposed rules have been published (DUBOIS, 2004, 2005a), and their discussion by the international community of zoologists, before their possible incorporation in the *Code*, may take time. Regarding the **NEOBATRACHII** (i.e., recent amphibians, taxa represented by at least one species in the currently living fauna of our planet, see DUBOIS, 2004), in the series *Amphibia Mundi*, for reasons explained in DUBOIS (2005b), such nomina are currently not used, but this may change in the future, when more robust hypotheses on the relationships among amphibian fossil and recent groups are available and widely accepted. It will then be useful to have a list of available class-series nomina, some of which may have then to be considered as valid. As changes are also likely to occur at family level and below, a similar list for family-series nomina will also be useful.

The present list presents additions in the taxonomy of **NEOBATRACHII** for taxa above rank genus, published until 2003 after the two lists of such taxa of KUHN (1967) and DUBOIS (1984), or ignored in these two lists. The period covered by these additions starts in 1984 for family-series taxa of living anurans, and in 1967 for all other taxa and nomina. It ends on 31 December 2002 for all these groups.

New nomina of the family series (i.e., families, subfamilies, tribes and subtribes; DUBOIS, 2000, 2005c-d) are printed in **SMALL CAPITAL ITALS**, followed by the nomina of their *type-genera*, and by the *country* of the *type-locality* of the type-species of the latter (not the currently known or inferred geographical distribution of the taxon, that may be much larger).

New nomina of the class-series (i.e., orders, classes, etc.; DUBOIS, 2000, 2005a, c-d) are printed in **BOLD SMALL CAPITALS**. As class-series nomina below the rank order are not recognized in the

ergotaxonomy used here (DUBOIS, 2005b), any new nomen of this nominal-series is simply listed below the nomen of the least inclusive class-series taxon including all its originally included genera or *conucleogenera* (see DUBOIS, 2005d), followed between square brackets by the rank afforded to this nomen in the publication where it was created.

Only new nomina are listed, and taxonomic or nomenclatural changes other than additions (e.g., synonymisation or revalidation of nomen, change of rank or higher taxonomic allocation of taxon, first-reviser action, orthographic emendation) are not considered here. The new nomina are listed below by alphabetical order under taxa according to the conservative general taxonomic frame of DUBOIS (2005b). The nomina of all-fossil taxa are preceded by the sign †. Nomenclaturally unavailable nomina (i.e., nomina nuda and other kinds of anoplonyms, as defined by DUBOIS, 2000) are presented below "between quotation marks".

**Classis AMPHIBIA** De Blainville, 1816

Subclassis NEOBATRACHI Sarasin & Sarasin, 1890

Superordo † ALLOCAUDATA Fox & Naylor, 1982

Ordo † ALLOCAUDATA FOX & Naylor, 1982

† ALLOCAUDATA Fox & Naylor, 1982 [ordo].

Superordo BATRACHIA Brongniart, 1800

Ordo ANURA Duméril, 1806

ARCHAEOSALIENTIA Roček, 1981 [ordo]

BOMBINANURA Ford & Cannatella, 1993 ["taxon"].

DISCOGLOSSANURA Ford & Cannatella, 1993 ["taxon"].

LEIOPELMATICANURA Ford & Cannatella, 1993 ["taxon"]

NEOCAUDATA Cannatella & Hillis, 1993 [no rank given].

NEOSALIENTIA Roček, 1981 [ordo].

PARATOIDIA Gardiner, 1982 [superordo] · **Comment** Nomen misspelled PARATOIDEA by MILNER (1988)

PIPANURA Ford & Cannatella, 1993 ["taxon"].

PIPIMORPHA Ford & Cannatella, 1993 ["taxon"].

PROCERA Feller & Hedges, 1998 [superordo].

Incertae sedis

† PROSALITRUM Shubin & Jenkins, 1995   **Type-genus**, by original designation: † *Prosalirus* Kuhn, 1964 – USA (Arizona). Jurassic.

† TREGOBATRACHUS Holman, 1974   **Type-genus**, by original designation: † *Tregobatrachus* Holman, 1964. USA (Kansas). Miocene

Epifamilia *BOMBINATOROIDIA* Gray, 1825

Superfamilia *BOMBINATOROIDEA* Gray, 1825

Familia *BOMBINATORIDAE* Gray, 1825

Subfamilia † *GOBIATINAE* Roček & Nessonov, 1993

† *GOBIATIDAE* Roček & Nessonov, 1993. – Mongolia. Cretaceous.

Epifamilia *PELOBATOIDIA* Bonaparte, 1850

Superfamilia *PELOBATOIDEA* Bonaparte, 1850

Familia *PELOTATIDAE* Bonaparte, 1850

Subfamilia *MEGOPHYRINAE* Noble, 1931 (1850)

Tribus *LEPTOBRACHIINI* Dubois, 1983

“*LEPTOBRACHIUM*” Dubois, 1980. **Type-genus**, by implicit etymological designation *Leptobrachium* Tschudi, 1838. – Indonesia (Java) – **Comment**: Nomenclaturally unavailable nomen, as published conditionally (Art. 15.1).

*LEPTOBRACHINAE* Dubois, 1983. **Type-genus**, by implicit etymological designation *Leptobrachium* Tschudi, 1838. – Indonesia (Java).

*OREOLALAXINAE* Tian & Hu, 1985. **Type-genus**, by original designation: *Oreolalax* Myers & Leviton, 1962. – China (Sichuan) – **Comment**: The original spelling of this nomen is incorrect and should be emended into *OREOLLAGINAE*, a justified emendation which was first used by Dubois (1987b)

Subfamilia *PELOBATINAE* Bonaparte, 1850

† *EOPELOBATINAE* Špinar, 1972. **Type-genus**, by original designation: † *Eopelobates* Parker, 1929. Germany. Oligo-Miocene boundary.

Epifamilia *PIPOIDIA* Gray, 1825

Superfamilia *PIPOIDEA* Gray, 1825

Familia *PIPIDAE* Gray, 1825

Subfamilia *DACTYLETHRINAE* Hogg, 1838

*SILURANINAE* Cannatella & Trueb, 1988. **Type-genus**, by implicit etymological designation *Silurana* Gray, 1864. – Nigeria.

Epfamilia *RANOIDEA* Rafinesque-Schmaltz, 1814

Superfamilia *HYLOIDEA* Rafinesque, 1815

Familia *BUPONIDAE* Gray, 1825

*STEPHOPAEDINI* Dubois, 1987a. Type-genus, by original designation: *Stephopaedes* Channing, 1978. – Zimbabwe.

Superfamilia *RANOIDEA* Rafinesque-Schmaltz, 1814

Familia *MICROHYLIIDAE* Günther, 1858 (1843)

Subfamilia *ASTEROPHYRINAE* Günther, 1858

Tribus *BARYGENYINI* Burton, 1986

*BARYGENYNI* Burton, 1986. Type-genus, by original designation: *Barygenys* Parker, 1936. Papua New Guinea.

Tribus *CALLULOPINI* Dubois, 1988

*CALLULOPINI* Dubois, 1988. Type-genus, by original designation: *Callulops* Boulenger, 1888. Papua New Guinea.

Subfamilia *MICROHYLIINAE* Günther, 1858 (1843)

*OТОPHRYNINAE* Wassersug & Pyburn, 1987 - Type-genus, by original designation: *Otophryne* Bouleenger, 1900. – Guyana.

Subfamilia *PHRYNOMERINAE* Noble, 1931

*PHRYNOMERINI* Burton, 1986. Type-genus, by original designation: *Phrynomantis* Peters, 1867. South Africa

Familia *BREVICIPITIDAE* Bonaparte, 1850

Subfamilia *BREVICIPITINAE* Bonaparte, 1850

*TOМОPTERNINI* Dubois, 1987a. Type-genus, by original designation: *Tomopterna* Duméril & Bibron, 1841. – South Africa

Familia *RANIDAE* Rafinesque-Schmaltz, 1814

Subfamilia *CONRAUINAE* Dubois, 1992

*CONRAUIN* Dubois, 1992. **Type-genus**, by original designation: *Conraua* Nieden, 1908. – Cameroon.

Subfamilia *DICROGLOSSINAE* Anderson, 1871

Tribus *LIMNONECTINTI* Dubois, 1992

*LIMNONECTINT* Dubois, 1992. **Type-genus**, by original designation: *Limnonectes* Fitzinger, 1843. Indonesia (Java).

Tribus *OCCIDOZYGINTI* Fei, Ye & Huang, 1991

*OCCIDOZYGINTA* Fei, Ye & Huang, 1991. **Type-genus**, by original designation. *Occidozyga* Kuhl & Van Hasselt, 1822. – Indonesia (Java).

Tribus *PAINI* Dubois, 1992

*PAINI* Dubois, 1992. **Type-genus**, by original designation. *Paa* Dubois, 1975. – Nepal.

Subfamilia *LANKANECTINAE* Dubois & Ohler, 2001

*LANKANECTINAE* Dubois & Ohler, 2001. **Type-genus**, by original designation *Lankanectes* Dubois & Ohler, 2001. – Sri Lanka

Subfamilia *MANTELLINAE* Laurent, 1946

Tribus *BOOPHINTI* Vences & Glaw, 2001

*BOOPHINAE* Vences & Glaw, 2001. **Type-genus**, by original designation. *Boophis* Tschudi, 1838. – Madagascar.

Tribus *LAIOSTOMINTI* Vences & Glaw, 2001

*LAIOSTOMINAE* Vences & Glaw, 2001. – **Type-genus**, by original designation *Laiostoma* Glaw, Vences & Bohme, 1998. **Comment** This family-series nomen was ill formed as the stem of the nomen *Laiostoma* is *Laiostomat-*. However, according to Art. 29.4 of the current version of the Code (ANONYMOLS, 1999), in such cases the original spelling "must be maintained as the correct

original spelling", artificially considering that "its stem is formed from the name of the type genus as though it were an arbitrary combination of letters".

Subfamilia *MICRIXALINAE* Dubois, Ohler & Biju, 2001

*MICRIXALINAE* Dubois, Ohler & Biju, 2001. **Type-genus**, by original designation: *Micrixalus* Boulenger, 1888. – "Southern India".

Subfamilia *NYCTIBATRACHINAE* Blommers-Schlosser, 1993

*NYCTIBATRACHINAE* Blommers-Schlosser, 1993. **Type-genus**, by original designation: *Nyctibatrachus* Boulenger, 1882. – India (Kerala).

Subfamilia *PTYCHADENINAE* Dubois, 1987

*PTYCHADENINI* Dubois, 1987a – **Type-genus**, by original designation *Ptychadena* Boulenger, 1917. La Réunion, Mascarene Islands.

Subfamilia *RANINAE* Rafinesque-Schmaltz, 1814

Tribus *RANINI* Rafinesque-Schmaltz, 1814

"*AMOLOPINAE*" Yang, 1989. **Type-genus**, by original designation: *Amolops* Cope, 1865 – "Afghanistan". – **Comment**: nomen nudum.

*AMOLOPSINAE* Yang, 1991 – **Type-genus**, by original designation: *Amolops* Cope, 1865 "Afghanistan".

**Comment** The original spelling of this nomen is incorrect and should be emended into *AMOLOPIN-AP*, a justified emendation which was first used by FEI, YE & HUANG (1991).

Subfamilia *RANIXALINAE* Dubois, 1987

*RANIXALINI* Dubois, 1987a – **Type-genus**, by original designation: *Ranixalus* Dubois, 1986 – India (Karnataka).

*INDIRANINAE* Blommers-Schlosser, 1993. **Type-genus**, by original designation: *Indirana* Laurent, 1986 – India (Kerala).

Subfamilia *RHACOPHORINAE* Hoffman, 1932 (1858)

Tribus *BUERGERINII* Channing, 1989

*BUERGERINAE* Channing, 1989. **Type-genus**, by original designation: *Buergeria* Tschudi, 1838 Japan.

Ordo URODELA Duméril, 1806

Incertae sedis

Familia † PROSIRENIDAE Estes, 1969

† PROSIRENIDAE Estes, 1969 - **Type-genus** by original designation. † *Prosiren* Goin & Auffenberg, 1958. - USA (Texas). Cretaceous.

Familia † SCAPHERPETONTIDAE Auffenberg & Goin, 1959

† EOSCAPHERPETONINAE Nessov, 1981 - **Type-genus** by original designation: † *Eosapherpeton* Nessov, 1981. - Uzbekistan Cretaceous.

Epifamilia CRYPTOBRANCHOIDIA Fitzinger, 1826

Superfamilia CRYPTOBRANCHOIDEA Fitzinger, 1826

Familia CRYPTOBRANCHIDAE Fitzinger, 1826

† AVITURINAE Gubin, 1991 **Type-genus**, by original designation: † *Aviturus* Gubin, 1991 Mongolia. Palaeocene.

Familia HYNOBIIIDAE Cope, 1859 (1856)

Subfamilia PROTOHYNOBIINAE Fei & Ye, 2000

PROTOHYNOBIIDAE Fei & Ye, 2000. **Type-genus**, by original designation: *Protohynobius* Fei & Ye, 2000. - China (Sichuan).

Epifamilia † KARAUROIDIA Ivachnenko, 1978

Superfamilia † KARAUROIDEA Ivachnenko, 1978

Familia † KARAURIDAE Ivachnenko, 1978

† KARAURIDAE Ivachnenko, 1978 **Type-genus**, by original designation. † *Karaurus* Ivachnenko, 1978 - Kazakhstan Jurassic

Epifamilia SIRENOIDIA Gray, 1825

Superfamilia SIRENOIDEA Gray, 1825

Familia SIRENIDAE Gray, 1825

† NOTERPETONTIDAE Rage, Marshall & Gayet, 1993 **Type-genus**, by original designation: † *Noterpeton* Rage, Marshall & Gayet, 1993. - Bolivia. Cretaceous.

Superordo **GYNOPHIONA** Rafinesque-Schmaltz, 1814

Ordo **GYNOPHIONA** Rafinesque-Schmaltz, 1814

**EPICRIDEI** Lescure, Renous & Gasc, 1986 [infraordo].

**RHINATREMATOIDI** Lescure, Renous & Gasc, 1986 [subordo].

**SIPHONOPIDI** Lescure, Renous & Gasc, 1986 [subordo]

Familia **CAECILIIDAE** Rafinesque-Schmaltz, 1814

**AFCROCAECILI** Lescure, Renous & Gasc, 1986. **Type-genus**, by original designation: *Afrocaecilia* Taylor, 1968. - Kenya.

**BRASILIOPTPHIL** Lescure, Renous & Gasc, 1986 - **Type-genus**, by original designation. *Brasiliotyphlus* Taylor, 1968. - Brazil (Amazonas).

**DERMOPHINAE** Taylor, 1969 - **Type-genus**, by original designation. *Dermophis* Peters, 1879 - Mexico

**GEOTRYPTIDAE** Lescure, Renous & Gasc, 1986. **Type-genus**, by original designation. *Geotrypetes* Peters, 1880. - Gabon

**GRANDISONIA** Lescure, Renous & Gasc, 1986. **Type-genus**, by original designation: *Grandisoma* Taylor, 1968. - Seychelles.

**GYNOPHILAE** Lescure, Renous & Gasc, 1986 **Type-genus**, by original designation: *Gymnopis* Peters, 1874 - Panama

**HERPELINA** Lescure, Renous & Gasc, 1986. **Type-genus**, by original designation: *Herpele* Peters, 1879. - Gabon.

**INDOTYPHLINT** Lescure, Renous & Gasc, 1986 - **Type-genus**, by original designation. *Indotyphlus* Taylor, 1960. - India (Maharashtra).

**OSCAETHIIDAE** Lescure, Renous & Gasc, 1986 **Type-genus**, by original designation: *Oscaetha* Taylor, 1968. - Panama

**PSEUDOSIPHONOPITI** Lescure, Renous & Gasc, 1986. **Type-genus**, by original designation. *Pseudosiphonops* Taylor, 1968. - Brazil

Familia **ICHTHYOPHIDAE** Taylor, 1968 (1843)

**ICHTHYOPHIDA** Taylor, 1968. **Type-genus**, by original designation *Ichthyophis* Taylor, 1968. Sri Lanka

Familia **SCOLECOMORPHIDAE** Taylor, 1969

**SCOLECOMORPHID** Taylor, 1969. **Type-genus**, by original designation *Scolecomorphus* Boulenger, 1883 - Tanzania

Familia **TYPHLOONECTIDAE** Taylor, 1968

**POTAMOTYPHL** Lescure, Renous & Gasc, 1986. **Type-genus**, by original designation *Potamotyphlus* Taylor, 1968 Venezuela. **Comment**: The original nomen of this family is incorrect and should be emended into *POTAMOTYPHLIDA*, according to Art. 35.4.1 of the *Code*.

**PSEUDOTYPHLOONECTI** Lescure, Renous & Gasc, 1986. **Type-genus**, by original designation: *Pseudotyphlonectes* Lescure, Renous & Gasc, 1986. - Colombia.

*TYPHLONECTIDAE* Taylor, 1968. **Type-genus**, by original designation: *Typhlonectes* Peters, 1879. French Guyana.

Familia *URAEOTYPHLINEAE* Nussbaum, 1979

*URAEOTYPHLINEAE* Nussbaum, 1979. **Type-genus**, by original designation: *Uraeotyphlus* Peters, 1879. India (Kerala).

Superfamilia *RHINATREMATOIDEA* Nussbaum, 1977

Familia *RHINATREMATIDAE* Nussbaum, 1977

*RHINATREMATIDAE* Nussbaum, 1977. **Type-genus**, by original designation: *Rhinatrema* Taylor, 1968. Venezuela.

Epifamilia † *EOCAECILIOIDAE* Jenkins & Walsh, 1993

Superfamilia † *EOCAECILIIDEOA* Jenkins & Walsh, 1993

Familia † *EOCAECILIIDAE* Jenkins & Walsh, 1993

† *EOCAECILIIDAE* Jenkins & Walsh, 1993. **Type-genus**, by original designation: † *Eocaecilia* Jenkins & Walsh, 1993 USA (Arizona). Jurassic. **Comment** The original nomen of this family is incorrect and should be emended into *EOCAECILIIDAE*, a justified emendation first used by DUBOIS (2005b). The original spelling was clearly derived from that of the familial nomen *CAECILIIDAE*. The latter spelling was once adopted by ICZN (ANONYMOUS, 1987) to avoid homonymy with a familial nomen of Insects, but this decision was later modified by ICZN (ANONYMOUS, 1996) to return to the well-known spelling *CAECILIIDAE*. In 1993, the *Code* in force was the so-called third edition (ANONYMOUS, 1985) according to which an incorrect original familial nomen must be corrected. This rule was changed in the so-called fourth edition (ANONYMOUS, 1999; see above under *LALIOSTOMIDAE*) but it applies to any familial nomen published before 31 December 1999.

## LITERATURE CITED

- ANONYMOUS [International Commission on Zoological Nomenclature], 1985. *International code of zoological nomenclature* Third edition London, International Trust for zoological Nomenclature i-xx + 1-338  
 1987 Opinion 1462 Caeciliidae Rafinesque-Schmaltz, 814 (Amphibia Gymnophiona) and Caeciliidae Kolbe, 1880 (Insecta, Psocoptera) a ruling to remove the homonymy. *Bulletin of zoological Nomenclature*, **44**: 263-264  
 1996 Opinion 1810 Caeciliidae Kolbe, 1880 (Insecta, Psocoptera) spelling emended to Caeciliidae, so removing the homonymy with Caeciliidae Rafinesque, 814 (Amphibia, Gymnophiona). *Bulletin of zoological Nomenclature*, **53** (1): 68-69  
 1999 *International code of zoological nomenclature* Fourth edition London International Trust for zoological Nomenclature i-xxx + 1-306  
 BLOMERS SCHLOSSER, R. M. A., 1993. Systematic relationships of the Mantellinae Laurent 1946 (Anura Ranoidae). *Ethology, Ecology & Evolution*, **5** (2): 199-218  
 BURTON, T. C., 1988. A reassessment of the Papuan subfamily Asterophryinae Anura Microhylidae. *Record of the South Australian Museum*, **110** (4): 155-158

- CANNATELLA, D. C. & HILLIS, D. M., 1993 [30 June]. - Amphibian relationships: phylogenetic analysis of morphology and molecules. *Herpetological Monograph*, 7: 1-7. [Exact publication date: *Herpetological Monograph*, 1994, 8; back cover].
- CANNATELLA, D. C. & TRUEB, L., 1988. - Evolution of pipoid frogs: intergeneric relationships of the aquatic frog family Pipidae (Anura). *Zoological Journal of the Linnean Society*, 94 (1): 1-38.
- CHANNING, A., 1989. - A re-evaluation of the phylogeny of Old World treefrogs. *South African Journal of Zoology*, 24 (2): 116-131.
- DUBOIS, A., 1980. - Notes sur la systématique et la répartition des Amphibiens Anoures de Chine et des régions avoisinantes IV. Classification générique et subgénérique des Pelobatidae Megophryinae. *Bulletin mensuel de la Société linnaéenne de Lyon*, 49 (8): 469-482.
- 1983 [30 December]. - Note préliminaire sur le genre *Lepolalax* Dubois, 1980 (Amphibiens, Anoures), avec diagnose d'une espèce nouvelle du Vietnam. *Alytes*, 2 (4): 147-153. [Exact publication date obtained directly from publisher].
- 1984. - La nomenclature supragénérique des Amphibiens Anoures. *Mémoire du Muséum national d'Histoire naturelle*, (A) 131: 1-64.
- 1987a [13 May]. - Miscellanea taxinomica batrachologica (I). *Alytes*, "1986", 5 (1-2): 7-95. [Exact publication date obtained directly from publisher].
- 1987b [1 October]. - Miscellanea nomenclatorica batrachologica (XIV). *Alytes*, "1986", 5 (4): 173-174. [Exact publication date obtained directly from publisher].
- 1988 [28 December]. - Miscellanea nomenclatorica batrachologica (XVII). *Alytes*, 7 (1): 1-5. [Exact publication date obtained directly from publisher].
- 1992 [7 December]. - Notes sur la classification des Ranidae (Amphibiens, Anoures). *Bulletin mensuel de la Société linnaéenne de Lyon*, 61 (10): 305-352. [Publication date taken from mailing label of fascicle].
- 2000 [13 July]. - Synonyms and related lists in zoology: general proposals, with examples in herpetology. *Dumerilia*, 4 (2): 33-98. [Exact publication date obtained directly from publisher].
- 2004 [20 December]. - The higher nomenclature of recent amphibians. *Alytes*, 22 (1-2): 1-14. [Exact publication date obtained directly from publisher].
- 2005a. - Propositions pour l'incorporation des nomina de taxons de rang supérieur dans le *Code international de nomenclature zoologique*. In: A. DUBOIS, O. PONCY, V. MALÉCOT & N. LÉGER (ed.), *Comment nommer les taxons de rang supérieur en zoologie et en botanique?* *Biotaistema*, 23: 73-96.
- 2005b. - *Amphibia Mundi*. 1.1. An ergotaxonomy of recent amphibians. *Alytes*, 23 (1-2): 1-24.
- 2005c. - Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the *International Code of Zoological Nomenclature*. 1. Some general questions, concepts and terms of biological nomenclature. *Zoosystema*, 23 (2): 365-426.
- 2005d. - Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the *International Code of Zoological Nomenclature*. 2. The proposed Rules and their rationale. *Zoosystema*, in press.
- DUBOIS, A. & OHLER, A., 2001 [20 December]. - A new genus for an aquatic ranid (Amphibia, Anura) from Sri Lanka. *Alytes*, 19 (2-4): 81-106. [Exact publication date obtained directly from publisher].
- DUBOIS, A., OHLER, A. & BIJU, S. D., 2001 [20 December]. - A new genus and species of Ranidae (Amphibia, Anura) from south-western India. *Alytes*, 19 (2-4): 53-79. [Exact publication date obtained directly from publisher].
- ESTES, R., 1969. - Prostirenidae, a new family of fossil salamanders. *Nature*, 224: 87-88.
- FEI, L. & YE, C., 2000. - A new hynobiid subfamily with a new genus and new species of Hynobiidae from west China (Amphibia: Caudata). *Citulum herpetologica sinica*, 8: 64-70. [In Chinese].
- FEI, L., YE, C. & HUANG, Y., 1991. - Key to Chinese Amphibia. Chongqing, Editions of Sciences and Techniques, "1990": [i-iv] + 1-2 + 1-364. [In Chinese]. [Publication date: ZHAO & ADLER, 1993: 367].
- FELLER, A. E. & HEDGES, S. B., 1998. - Molecular evidence for the early history of living amphibians. *Molecular Phylogenetics & Evolution*, 9 (3): 509-516.
- FORD, L. S. & CANNATELLA, D. C., 1993 [30 June]. - The major clades of frogs. *Herpetological Monograph*, 7: 94-117 [Exact publication date: *Herpetological Monograph*, 1994, 8; back cover].
- FOX, R. C. & NAYLOR, 1982. - A reconsideration of the relationships of the fossil amphibian *Albanerpeton*. *Canadian Journal of Earth Sciences*, 19 (1): 118-128.
- GARDINER, B. G., 1982. - Tetrapod classification. *Zoological Journal of the Linnean Society*, 74 (3): 207-232.
- GUBIN, Y. M., 1991. - Paleocene salamanders from southern Mongolia. *Paleontol. Zhurn.*, 1991 (1): 96-106.
- HOLMAN, J. A., 1974. - Herpetofauna of the Wakeeney local fauna (lower Pliocene: Clarendonian) of Trego county, Kansas. In: *Studies on cenozoic paleontology and stratigraphy in honor of Claude W. Hubbard*, University of Michigan Papers on Paleontology, 12: 49-66.
- IVACHNIENKO, M., 1978. - Urodeles from the Triassic and Jurassic of Soviet central Asia. *Paleontol. Zhurn.*, 12: 362-368.
- JENKINS, F. A. Jr. & WALSH, D. M., 1993. - An early Jurassic caecilian with limbs. *Nature*, 365 (6443): 246-250.
- KUHN, O., 1967. - *Amphibien und Reptilien*. Stuttgart, Gustav Fischer: i-vii + 1-124.
- LESCURE, J., RENOIS, S. & GASC, J.-P., 1986. - Proposition d'une nouvelle classification des Amphibiens Gymnophionnes. *Mémoires de la Société zoologique de France*, 43: 145-177, 1 tab.
- MILNER, A. R., 1988. - The relationships and origin of living amphibians. In: M. J. BENTON (ed.), *The phylogeny and classification of the Tetrapoda*, vol. 1, *Amphibians, Reptiles, Birds*, Oxford, Clarendon Press: 59-102.
- NESSOV, L. A., 1981. - Cretaceous salamanders and frogs of Kizylkum desert. *Trudy zool. Inst. Leningrad*, 101: 57-88. [In Russian].
- NUSSBAUM, R. A., 1977. - Rhinatrematidae: a new family of caecilians (Amphibia: Gymnophiona). *Occasional Papers of the Museum of Zoology of the University of Michigan*, 682: 1-30.

- 1979. — The taxonomic status of the caecilian genus *Uraeotyphlus* Peters. *Occasional Papers of the Museum of Zoology of the University of Michigan*, 687: 1-20.
- RAGE, J.-C., MARSHALL, L. G. & GAYET, M., 1993. — Enigmatic Caudata (Amphibia) from the upper Cretaceous of Gondwana. *Geobios*, Lyon, 26 (4): 515-519.
- ROČEK, Z., 1981. — Cranial anatomy of frogs of the family Pelobatidae Stannius, 1856, with outlines of their phylogeny and systematics. *Acta Universitatis Carolinae, (Biologica)*, 1980 (1-2): 1-164.
- ROČEK, Z. & NESSOV, L. A., 1993. — Cretaceous anurans from central Asia. *Palaeontographica, (Abt. A)*, 226: 1-54.
- SHUBIN, N. H. & JENKINS, F. A., 1995. — An early Jurassic jumping frog. *Nature*, 377: 49-52.
- SPINAR, Z. V., 1972. — *Tertiary frogs from central Europe*. The Hague & Prague, Junk & Academia: 1-286, pl. [i] + 1-184.
- TAYLOR, E. H., 1968. — *The caecilians of the world. A taxonomic review*. Lawrence, University of Texas Press: i-xiv + 1-848.
- 1969. — A new family of African Gymnophiona. *University of Kansas Science Bulletin*, 48: 297-305.
- TIAN, W. & HU, Q., 1985. — Taxonomical studies on the primitive anurans of the Hengduan mountains, with descriptions of a new subfamily and subdivision of *Bombina*. *Acta herpetologica sinica*, (2), 4 (3): 219-224. [In Chinese].
- VENCES, M. & GLAW, F., 2001. — When molecules claim for taxonomic changes: new proposals on the classification of Old World treefrogs. *Spixiana*, 24 (1): 85-92.
- YANG, D., 1989. — Phylogenetic systematic of the *Amolops* group of ranid frogs of southeastern Asia and the greater Sunda islands. *Proceedings of the 12<sup>th</sup> congress of China Zoological Association and its 55<sup>th</sup> annual academic meeting*: 256-257.
- YANG, D. (ed.), 1991. — *The Amphibia fauna of Yunnan*. Kunming, China Forestry Publishing House: [i-vii] + i-iv + 1-259. [In Chinese].
- WASSERSUG, R. J. & PYBURN, W. F., 1987. — The biology of the Pe-ret toad, *Otophryne robusta* (Microhylidae), with special consideration of its fossorial larva and systematic relationships. *Zoological Journal of the Linnean Society*, 91 (2): 137-169.
- ZHAO, E.-M. & ADLER, K., 1993. — *Herpetology of China*. Oxford, Ohio, USA, SSAR: 1-522 + [i-v], pl. 1-48 + 1.

ʃ

